




RF

RENOVATION FURNITURE TRADING LLC



CARPET TILES CATALOGUE BALTA IN STOCK

MODERN, CLASSICAL & STYLISH
FLOOR, WALL & WINDOW TREATMENTS.



BALTA

Balta is one of the largest producers of textile coverings in Europe. Balta carpet tiles meet the strictest European standards, with innovative designs and creative carpet solutions. Innovative design processes enable Balta to deliver products that push boundaries of design, performance & value



Craft




Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	60% PA IMPREL/40% PP
Pile Weight:	660 g/m ²
Total Weight:	4050 g/m ²
Pile Height:	3.0 mm
Total Height:	6.0 mm
Wear Classification:	Commercial Class 31
Tuft Density:	215.000/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5


Craft



Craft



Craft 90




Craft 97


Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	60% PA IMPREL/40% PP
Pile Weight:	660 g/m ²
Total Weight:	4050 g/m ²
Pile Height:	3.0 mm
Total Height:	6.0 mm
Wear Classification:	Commercial Class 31
Tuft Density:	215.000/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5


Craft



Craft 34



Craft44




Craft 77

Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	60% PA IMPREL/40% PP
Pile Weight:	660 g/m ²
Total Weight:	4050 g/m ²
Pile Height:	3.0 mm
Total Height:	6.0 mm
Wear Classification:	Commercial Class 31
Tuft Density:	215.000/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5

Diva




Specifications

Manufacturing process:	Tufting 1/10'' Loop Pile
Pile Composition:	100% PP Stainsafe
Pile Weight:	360 g/m ²
Total Weight:	3725 g/m ²
Pile Height:	2.8 mm
Total Height:	5.7 mm
Wear Classification:	Commercial Class 31
Tuft Density:	149.600/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5


Diva



Diva Casa



Diva 810



Diva 930



Diva 942



Diva 966


Specifications

Manufacturing process:	Tufting 1/10'' Loop Pile
Pile Composition:	100% PP Stainsafe
Pile Weight:	360 g/m ²
Total Weight:	3725 g/m ²
Pile Height:	2.8 mm
Total Height:	5.7 mm
Wear Classification:	Commercial Class 31
Tuft Density:	149.600/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5


Diva Casa



Diva 155



Diva 382



Diva 553



Diva 595

Specifications

Manufacturing process:	Tufting 1/10'' Loop Pile
Pile Composition:	100% PP Stainsafe
Pile Weight:	360 g/m ²
Total Weight:	3725 g/m ²
Pile Height:	2.8 mm
Total Height:	5.7 mm
Wear Classification:	Commercial Class 31
Tuft Density:	149.600/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5

Lineations




Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PP Stainsafe
Pile Weight:	550 g/m ²
Total Weight:	4300 g/m ²
Pile Height:	5.0 mm
Total Height:	7.0 mm
Wear Classification:	Commercial Class 22
Tuft Density:	189.000/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5

Lineations




Lineations




Lineations 380



Lineations 880



Lineations 900



Lineations 980

Specifications

Manufacturing process:	Tufting 1/10'' Loop Pile
Pile Composition:	100% PP Stainsafe
Pile Weight:	550 g/m ²
Total Weight:	4300 g/m ²
Pile Height:	5.0 mm
Total Height:	7.0 mm
Wear Classification:	Commercial Class 22
Tuft Density:	189.000/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5


Quartz




Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PP Stainsafe
Pile Weight:	550 g/m ²
Total Weight:	4300 g/m ²
Pile Height:	4.0 mm
Total Height:	7.0 mm
Wear Classification:	Commercial Class 22
Tuft Density:	212.000/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5


Quartz




Quartz 185



Quartz 685



Quartz 945



Quartz 965

Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PP Stainsafe
Pile Weight:	550 g/m ²
Total Weight:	4300 g/m ²
Pile Height:	4.0 mm
Total Height:	7.0 mm
Wear Classification:	Commercial Class 22
Tuft Density:	212.000/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5

Quartz




Space



Specifications

Manufacturing process:	Tufting 1/12" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	600 g/m ²
Total Weight:	4500 g/m ²
Pile Height:	3.6 mm
Total Height:	7.2 mm
Wear Classification:	Commercial Class 33
Tuft Density:	200.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4

Space



Space 965

Specifications

Manufacturing process:	Tufting 1/12" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	600 g/m ²
Total Weight:	4500 g/m ²
Pile Height:	3.6 mm
Total Height:	7.2 mm
Wear Classification:	Commercial Class 33
Tuft Density:	200.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4


Swift



Specifications

Manufacturing process:	Tufting 1/10'' Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	480 g/m ²
Total Weight:	4250 g/m ²
Pile Height:	2.5 mm
Total Height:	6.0 mm
Wear Classification:	Commercial Class 33
Tuft Density:	176.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4

Swift



Swift 914

Specifications

Manufacturing process:	Tufting 1/10" Loop pile
Dye Method:	Solution Dyed
Composition:	BCF Polyamide 6
Pile Weight:	590 g/m ²
Total Weight:	4000 g/m ²
Pile Height:	2.8 mm
Total Height:	6.5 mm
Wear Classification:	Commercial Class 33
Size:	50 x 50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Luxury Rating:	LC1
Impact Sound Reduction:	25 dB



MODERN, CLASSICAL & STYLISH FLOOR, WALL & WINDOW TREATMENTS.

RF is a wholesale division based in the UAE and Oman with an extensive portfolio of floors, wall coverings and window treatment solutions. Our products can be applied on a broad range of work from small bespoke projects, through to substantial large-scale developments & masterplans.



RF

Renovation Furniture Trading LLC

e: rf@rftgulf.com.com

w: www.rftgulf.com

t: +91 6678633

a: Injaz Warehouse City, Warehouse 25C, Umm Al Quwain, U.A.E