

# Diva




## Specifications

|                        |                         |
|------------------------|-------------------------|
| Manufacturing process: | Tufting 1/10" Loop Pile |
| Pile Composition:      | 100% PP Stainsafe       |
| Pile Weight:           | 360 g/m <sup>2</sup>    |
| Total Weight:          | 3725 g/m <sup>2</sup>   |
| Pile Height:           | 2.8 mm                  |
| Total Height:          | 5.7 mm                  |
| Wear Classification:   | Commercial Class 31     |
| Tuft Density:          | 149.600/ m <sup>2</sup> |
| Size:                  | 50x50 cm                |
| Fire Class:            | Cfl-s1 (EN 13501-1)     |
| Fastness to Light:     | 5-6                     |
| Water Fastness:        | 4-5                     |


# Diva




# Diva Casa



Diva 810



Diva 930



Diva 942



Diva 966


## Specifications

|                        |                         |
|------------------------|-------------------------|
| Manufacturing process: | Tufting 1/10" Loop Pile |
| Pile Composition:      | 100% PP Stainsafe       |
| Pile Weight:           | 360 g/m <sup>2</sup>    |
| Total Weight:          | 3725 g/m <sup>2</sup>   |
| Pile Height:           | 2.8 mm                  |
| Total Height:          | 5.7 mm                  |
| Wear Classification:   | Commercial Class 31     |
| Tuft Density:          | 149.600/ m <sup>2</sup> |
| Size:                  | 50x50 cm                |
| Fire Class:            | Cfl-s1 (EN 13501-1)     |
| Fastness to Light:     | 5-6                     |
| Water Fastness:        | 4-5                     |


# Diva Casa



Diva 155



Diva 382



Diva 553



Diva 595

## Specifications

|                        |                         |
|------------------------|-------------------------|
| Manufacturing process: | Tufting 1/10" Loop Pile |
| Pile Composition:      | 100% PP Stainsafe       |
| Pile Weight:           | 360 g/m <sup>2</sup>    |
| Total Weight:          | 3725 g/m <sup>2</sup>   |
| Pile Height:           | 2.8 mm                  |
| Total Height:          | 5.7 mm                  |
| Wear Classification:   | Commercial Class 31     |
| Tuft Density:          | 149.600/ m <sup>2</sup> |
| Size:                  | 50x50 cm                |
| Fire Class:            | Cfl-s1 (EN 13501-1)     |
| Fastness to Light:     | 5-6                     |
| Water Fastness:        | 4-5                     |