



RF

RENOVATION FURNITURE TRADING LLC



LAMINATE

MODERN, CLASSICAL & STYLISH
FLOOR, WALL & WINDOW TREATMENTS.



Alsapan is a French manufacturer specializing in top quality flooring that are environmentally safe, recyclable, phthalate and allergen free.. Laminate products available in a variety of wood effect finishes. They are environmentally safe and recyclable. They are formaldehyde, phthalate, allergen free and harmless to human health. All products are PEFC certified.

Wood Clic Collection AC5



Wood Clic AC5

WOOD CLIC 543 – IN STOCK



Specifications

Thickness:	7mm
Width:	192mm
Length:	1290mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 33
Abrasion Class:	AC5
Connection System:	Click 5G
Installation Type:	Floating
Fire Class:	Cfl-s1

Wood Clic AC5

WOOD CLIC 551 – IN STOCK



Specifications

Thickness:	7mm
Width:	192mm
Length:	1290mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 33
Abrasion Class:	AC5
Connection System:	Click 5G
Installation Type:	Floating
Fire Class:	Cfl-s1

Wood Clic AC5

WOOD CLIC 518 – IN STOCK



Specifications

Thickness:	7mm
Width:	192mm
Length:	1290mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 33
Abrasion Class:	AC5
Connection System:	Click 5G
Installation Type:	Floating
Fire Class:	Cfl-s1

Wood Clic AC5

WOOD CLIC 437 – IN STOCK



Specifications

Thickness:	7mm
Width:	192mm
Length:	1290mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 33
Abrasion Class:	AC5
Connection System:	Click 5G
Installation Type:	Floating
Fire Class:	Cfl-s1

Wood Clic AC5

WOOD CLIC 409 – IN STOCK



Specifications

Thickness:	7mm
Width:	192mm
Length:	1290mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 33
Abrasion Class:	AC5
Connection System:	Click 5G
Installation Type:	Floating
Fire Class:	Cfl-s1

Wood Clic AC5

WOOD CLIC 405 – IN STOCK



Specifications

Thickness:	7mm
Width:	192mm
Length:	1290mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 33
Abrasion Class:	AC5
Connection System:	Click 5G
Installation Type:	Floating
Fire Class:	Cfl-s1

Wood Clic AC5

WOOD CLIC 401 – IN STOCK



Specifications

Thickness:	7mm
Width:	192mm
Length:	1290mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 33
Abrasion Class:	AC5
Connection System:	Click 5G
Installation Type:	Floating
Fire Class:	Cfl-s1

Wood Clic AC5

WOOD CLIC 330 – IN STOCK



Specifications

Thickness:	7mm
Width:	192mm
Length:	1290mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 33
Abrasion Class:	AC5
Connection System:	Click 5G
Installation Type:	Floating
Fire Class:	Cfl-s1

Solid Plus AC6



Solid Plus AC6

SOLID PLUS 628 – IN STOCK



Specifications

Thickness:	12mm
Width:	214mm
Length:	1285mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 33
Abrasion Class:	AC6
Connection System:	Click 5G
Installation Type:	Floating
Fire Class:	Cfl-s1

Solid Plus AC6

SOLID PLUS 627 – IN STOCK



Specifications

Thickness:	12mm
Width:	214mm
Length:	1285mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 33
Abrasion Class:	AC6
Connection System:	Click 5G
Installation Type:	Floating
Fire Class:	Cfl-s1

Solid Plus AC6

SOLID PLUS 626 – IN STOCK



Specifications

Thickness:	12mm
Width:	214mm
Length:	1285mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 33
Abrasion Class:	AC6
Connection System:	Click 5G
Installation Type:	Floating
Fire Class:	Cfl-s1

Solid Plus AC6

SOLID PLUS 622 – IN STOCK



Specifications

Thickness:	12mm
Width:	214mm
Length:	1285mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 33
Abrasion Class:	AC6
Connection System:	Click 5G
Installation Type:	Floating
Fire Class:	Cfl-s1

Solid Plus AC6

SOLID PLUS 620 – IN STOCK



Specifications

Thickness:	12mm
Width:	214mm
Length:	1285mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 33
Abrasion Class:	AC6
Connection System:	Click 5G
Installation Type:	Floating
Fire Class:	Cfl-s1

Solid Plus AC6

SOLID PLUS 618 – IN STOCK



Specifications

Thickness:	12mm
Width:	214mm
Length:	1285mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 33
Abrasion Class:	AC6
Connection System:	Click 5G
Installation Type:	Floating
Fire Class:	Cfl-s1

Homag AC4



Homag AC4

HOMAG 1725 – IN STOCK



Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1

Homag AC4

HOMAG 6220-26 – IN STOCK




Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1

Homag AC4

HOMAG 6635 – IN STOCK



Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1

Homag AC4

HOMAG 303 – IN STOCK




Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1

Homag AC4

HOMAG 6359 – IN STOCK




Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1

Homag AC4

HOMAG 6338 – IN STOCK




Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1

Homag AC4


HOMAG 6339 – IN STOCK



Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1

LAMINATE ACCESSORIES



A wide variety of laminate accessories are available upon request including skirtings, floor trims and underlays to complement the flooring.



MODERN, CLASSICAL & STYLISH FLOOR, WALL & WINDOW TREATMENTS.

RF is a wholesale division based in the UAE and Oman with an extensive portfolio of floors, wall coverings and window treatment solutions. Our products can be applied on a broad range of work from small bespoke projects, through to substantial large-scale developments & masterplans.



RF

Renovation Furniture Trading LLC

e: rf@rftgulf.com.com

w: www.rftgulf.com

t: +91 6678633

a: Injaz Warehouse City, Warehouse 25C, Umm Al Quwain, U.A.E