



# RF

RENOVATION FURNITURE TRADING LLC



## SPC CATALOGUE TILES FLOOR & WALLS TAURUS, ATLAS& ATLAS WALL COLLECTION

MODERN, CLASSICAL & STYLISH  
FLOOR, WALL & WINDOW TREATMENTS.



**PERFECTILE**

BY



Extra Rigid



Limestone-based core

## SPC WALLS & FLOOR

- 100% Waterproof
- Scratch & Stain Resistant
- Easy to Clean & Maintain
- Stable to Sunlight
- No Acclimation Required
- No Telegraphing
- Recyclable & Phthalate Free
- Fast Installation & Refurbishment



# Taurus Collection

CW-1740



## Specifications

Collection:	SPC Taurus
Design:	Tile
Width:	300mm
Length:	600mm
Thickness:	4mm
Wear Layer:	0.5mm
Installation:	Click Tight Lock
Bevel:	4-Sided Bevel
Finish:	Stone Embossed

# Taurus Collection

CW-1821



## Specifications

Collection:	SPC Taurus
Design:	Tile
Width:	300mm
Length:	600mm
Thickness:	4mm
Wear Layer:	0.5mm
Installation:	Click Tight Lock
Bevel:	4-Sided Bevel
Finish:	Stone Embossed



# Taurus Collection

LT-2461



## Specifications

Collection:	SPC Taurus
Design:	Tile
Width:	300mm
Length:	600mm
Thickness:	4mm
Wear Layer:	0.5mm
Installation:	Click Tight Lock
Bevel:	4-Sided Bevel
Finish:	Stone Embossed

# Taurus Collection

LT-2462



## Specifications

Collection:	SPC Taurus
Design:	Tile
Width:	300mm
Length:	600mm
Thickness:	4mm
Wear Layer:	0.5mm
Installation:	Click Tight Lock
Bevel:	4-Sided Bevel
Finish:	Stone Embossed



# Taurus Collection

LT-2464




## Specifications

Collection:	SPC Taurus
Design:	Tile
Width:	300mm
Length:	600mm
Thickness:	4mm
Wear Layer:	0.5mm
Installation:	Click Tight Lock
Bevel:	4-Sided Bevel
Finish:	Stone Embossed

# Atlas Floor Collection

2687




## Specifications

Collection:	Atlas Floor
Design:	Floor Tile
Width:	615mm
Length:	930mm
Thickness:	5mm (including 1mm EVA absorbing pad)
Wear Layer:	0.55mm
Installation:	Click Tight Lock
Bevel:	No Bevel
Finish:	Anti-microbial PUR
Water Resist.	EN 14527



# Atlas Floor Collection

4037



## Specifications

Collection:	Atlas Floor
Design:	Floor Tile
Width:	615mm
Length:	930mm
Thickness:	5mm (including 1mm EVA absorbing pad)
Wear Layer:	0.55mm
Installation:	Click Tight Lock
Bevel:	No Bevel
Finish:	Anti-microbial PUR
Water Resist.	EN 14527

# Atlas Floor Collection

2461



## Specifications

Collection:	Atlas Floor
Design:	Floor Tile
Width:	615mm
Length:	930mm
Thickness:	5mm (including 1mm EVA absorbing pad)
Wear Layer:	0.55mm
Installation:	Click Tight Lock
Bevel:	No Bevel
Finish:	Anti-microbial PUR
Water Resist.	EN 14527



# Atlas Floor Collection

2463



## Specifications

Collection:	Atlas Floor
Design:	Floor Tile
Width:	615mm
Length:	930mm
Thickness:	5mm (including 1mm EVA absorbing pad)
Wear Layer:	0.55mm
Installation:	Click Tight Lock
Bevel:	No Bevel
Finish:	Anti-microbial PUR
Water Resist.	EN 14527

# Atlas Floor Collection

4038



## Specifications

Collection:	Atlas Floor
Design:	Floor Tile
Width:	615mm
Length:	930mm
Thickness:	5mm (including 1mm EVA absorbing pad)
Wear Layer:	0.55mm
Installation:	Click Tight Lock
Bevel:	No Bevel
Finish:	Anti-microbial PUR
Water Resist.	EN 14527



# Atlas Floor Collection

4040



## Specifications

Collection:	Atlas Floor
Design:	Floor Tile
Width:	615mm
Length:	930mm
Thickness:	5mm (including 1mm EVA absorbing pad)
Wear Layer:	0.55mm
Installation:	Click Tight Lock
Bevel:	No Bevel
Finish:	Anti-microbial PUR
Water Resist.	EN 14527

# Atlas Wall Collection

2687



## Specifications

Collection:	Atlas Wall
Design:	Wall Tile
Width:	615mm
Length:	930mm
Thickness:	4mm
Installation:	Glue-Down
Bevel:	No Bevel
Finish:	Anti-microbial PUR
Water Resist.	EN 14527



# Atlas Wall Collection

4037



## Specifications

Collection:	Atlas Wall
Design:	Wall Tile
Width:	615mm
Length:	930mm
Thickness:	4mm
Installation:	Glue-Down
Bevel:	No Bevel
Finish:	Anti-microbial PUR
Water Resist.	EN 14527

# Atlas Wall Collection

2461



## Specifications

Collection:	Atlas Wall
Design:	Wall Tile
Width:	615mm
Length:	930mm
Thickness:	4mm
Installation:	Glue-Down
Bevel:	No Bevel
Finish:	Anti-microbial PUR
Water Resist.	EN 14527



# Atlas Wall Collection

2463



## Specifications

Collection:	Atlas Wall
Design:	Wall Tile
Width:	615mm
Length:	930mm
Thickness:	4mm
Installation:	Glue-Down
Bevel:	No Bevel
Finish:	Anti-microbial PUR
Water Resist.	EN 14527

# Atlas Wall Collection

4038



## Specifications

Collection:	Atlas Wall
Design:	Wall Tile
Width:	615mm
Length:	930mm
Thickness:	4mm
Installation:	Glue-Down
Bevel:	No Bevel
Finish:	Anti-microbial PUR
Water Resist.	EN 14527

# Atlas Wall Collection

4040



## Specifications

Collection:	Atlas Wall
Design:	Wall Tile
Width:	615mm
Length:	930mm
Thickness:	4mm
Installation:	Glue-Down
Bevel:	No Bevel
Finish:	Anti-microbial PUR
Water Resist.	EN 14527





## MODERN, CLASSICAL & STYLISH FLOOR, WALL & WINDOW TREATMENTS.

RF is a flooring division based in the UAE with an extensive portfolio of floors, wall coverings and window treatment solutions. We offer extensive experience on a broad range of work from small bespoke fit-outs, through to substantial large-scale developments and masterplans



Renovation Furniture Trading LLC

e: [rf@rftgulf.com.com](mailto:rf@rftgulf.com.com)

w: [www.rftgulf.com](http://www.rftgulf.com)

t: +971 66786333