



Made in Belgium



RF

RENOVATION FURNITURE TRADING LLC



**BEAU
FLOR**[®]
we decorate your floor

CUSHION VINYL COLLECTIONS

MODERN, CLASSICAL & STYLISH
FLOOR, WALL & WINDOW TREATMENTS.



BEAUFLOR

Made in Belgium




**BEAU
FLOR**[®]
we decorate your floor

Beauflor is one of the leading producers of vinyl floors. Beauflor offers an extensive collection of high-quality cushion vinyl rolls. Guided by trends and technological improvements Beauflor strives to inspire and delight customers with vinyl floor solutions for every space. The vinyl floors are 100% recyclable and phthalate free.

Blacktex Vol. 1 Collection



Blacktex Vol. 1 Collection



Specifications

Intensity of Use:	32 Commercial Use 41 Industrial Moderate Use
Total Thickness:	2.80mm
Wear Layer:	0.40mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW15
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Blacktex Vol. 1 Collection



Columbian Oak 139L



Columbian Oak 636L



Columbian Oak 939L



Columbian Oak 973M

Specifications

Intensity of Use:	32 Commercial Use 41 Industrial Moderate Use
Total Thickness:	2.80mm
Wear Layer:	0.40mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW15
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Blacktex Vol. 1 Collection



Fumed Oak 169M



Fumed Oak 966M



Pamplona 970M



Texas 162L

Specifications

Intensity of Use:	32 Commercial Use 41 Industrial Moderate Use
Total Thickness:	2.80mm
Wear Layer:	0.40mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW15
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Blacktex Vol. 1 Collection



Texas 906M



Zinc 096L



Zinc 976M



Zinc 990D

Specifications

Intensity of Use:	32 Commercial Use 41 Industrial Moderate Use
Total Thickness:	2.80mm
Wear Layer:	0.40mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW15
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Blacktex Vol. 1 Collection



Safira 990D

Specifications

Intensity of Use:	32 Commercial Use 41 Industrial Moderate Use
Total Thickness:	2.80mm
Wear Layer:	0.40mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW15
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Blacktex Vol. 2 Collection



Specifications

Intensity of Use:	32 Commercial Use 41 Industrial Moderate Use
Total Thickness:	2.80mm
Wear Layer:	0.40mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW15
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Blacktex Vol. 2 Collection



Columbian Oak 161M



Columbian Oak 629L



Columbian Oak 649M



Columbian Oak 910M

Specifications

Intensity of Use:	32 Commercial Use 41 Industrial Moderate Use
Total Thickness:	2.80mm
Wear Layer:	0.40mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW15
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)


Blacktex Vol. 2 Collection



Columbian Oak 979M



Crouch Oak 126M



Crouch Oak 696D



Tasmanian Oak 096L

Specifications

Intensity of Use:	32 Commercial Use 41 Industrial Moderate Use
Total Thickness:	2.80mm
Wear Layer:	0.40mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW15
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Blacktex Vol. 2 Collection



Texas Oak 106L



Texas Oak 136L



Texas Oak 609M



White Oak 997D

Specifications

Intensity of Use:	32 Commercial Use 41 Industrial Moderate Use
Total Thickness:	2.80mm
Wear Layer:	0.40mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW15
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)


Expoline Collection



Specifications

Intensity of Use:	32 Commercial General Use 41 Industrial Moderate Use
Total Thickness:	2.00mm
Wear Layer:	0.40mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW10
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Fairplay Collection



Specifications

Intensity of Use:	22 General Use
Total Thickness:	2.00mm
Wear Layer:	0.20mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW10
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Fairplay Collection



000S



434M



707M




999E

Specifications

Intensity of Use:	22 General Use
Total Thickness:	2.00mm
Wear Layer:	0.20mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW10
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Fairplay Collection



910M



919D



099L



909D

Specifications

Intensity of Use:	22 General Use
Total Thickness:	2.00mm
Wear Layer:	0.20mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW10
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Expoline Collection



Fumed Oak 196M



Golden Oak 060L



Golden Oak 036M



Hickory 636D

Specifications

Intensity of Use: 32 Commercial General Use

41 Industrial Moderate Use

Total Thickness: 2.00mm

Wear Layer: 0.40mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m

Reaction to Fire: Bfl/S1

Impact Sound: LW10

Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)

Recyclable: Yes (100%)

Expoline Collection



Liana 009L



Liana 111L



Liana 199L



Liana 663L

Specifications

Intensity of Use: 32 Commercial General Use
41 Industrial Moderate Use

Total Thickness: 2.00mm

Wear Layer: 0.40mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m

Reaction to Fire: Bfl/S1


Impact Sound: LW10

Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)

Recyclable: Yes (100%)

Expoline Collection



Liana 797D



Liana 919M

Specifications

Intensity of Use: 32 Commercial General Use
41 Industrial Moderate Use

Total Thickness: 2.00mm

Wear Layer: 0.40mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m

Reaction to Fire: Bfl/S1



Impact Sound: LW10

Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)

Recyclable: Yes (100%)

Massif Collection



Massif Collection



Specifications

Intensity of Use:	32 Commercial General Use 41 Industrial Moderate Use
Total Thickness:	2.25mm
Wear Layer:	0.60mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW10
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Massif Collection



Specifications

Intensity of Use:	32 Commercial General Use 41 Industrial Moderate Use
Total Thickness:	2.25mm
Wear Layer:	0.60mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW10
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)


Massif Collection




Leah 111L



Leah 996M



Leah 799D



Leah 777M

Specifications

Intensity of Use: 32 Commercial General Use
41 Industrial Moderate Use

Total Thickness: 2.25mm

Wear Layer: 0.60mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m

Reaction to Fire: Bfl/S1


Impact Sound: LW10

Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)

Recyclable: Yes (100%)


Massif Collection



Leah 557M



Leah 222M



Leah 333M

Specifications

Intensity of Use: 32 Commercial General Use
41 Industrial Moderate Use

Total Thickness: 2.25mm

Wear Layer: 0.60mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m

Reaction to Fire: Bfl/S1

Impact Sound: LW10

Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)

Recyclable: Yes (100%)

Massif Collection



Natural Oak 641M



Natural Oak 416M



Natural Oak 639M



Natural Oak 936

Specifications

Intensity of Use: 32 Commercial General Use
41 Industrial Moderate Use

Total Thickness: 2.25mm

Wear Layer: 0.60mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m

Reaction to Fire: Bfl/S1

Impact Sound: LW10

Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)

Recyclable: Yes (100%)

Massif Collection



Arbo Oak 189M



Arbo 614D

Specifications

Intensity of Use: 32 Commercial General Use
41 Industrial Moderate Use

Total Thickness: 2.25mm

Wear Layer: 0.60mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m

Reaction to Fire: Bfl/S1

Impact Sound: LW10

Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)

Recyclable: Yes (100%)

Puretex Collection



Puretex Collection



Specifications

Intensity of Use:	33 High Commercial Use 42 General Industrial Use
Total Thickness:	3.00mm
Wear Layer:	0.55mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW16
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Puretex Collection



Disa 779M



Disa 907D



Disa 997M



Disa 111S

Specifications

Intensity of Use:	33 High Commercial Use 42 General Industrial Use
Total Thickness:	3.00mm
Wear Layer:	0.55mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW16
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Puretex Collection




Lime Oak 960L



Lime Oak 096L



Lime Oak 161M



Lime Oak 613M

Specifications

Intensity of Use:	33 High Commercial Use 42 General Industrial Use
Total Thickness:	3.00mm
Wear Layer:	0.55mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW16
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Puretex Collection



Lime Oak 661D



Lime Oak 796M



Lime Oak 196M

Specifications

Intensity of Use:	33 High Commercial Use 42 General Industrial Use
Total Thickness:	3.00mm
Wear Layer:	0.55mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW16
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Xtreme Collection



Xtreme Collection




Specifications

Intensity of Use:	34 Commercial Very Heavy 43 Industrial Heavy
Total Thickness:	2.00mm
Wear Layer:	0.70mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	22m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW6
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)


Xtreme Collection




Sia 111L



Sia 616D



Sia 619M




Sia 909L


Specifications

Intensity of Use:	34 Commercial Very Heavy 43 Industrial Heavy
Total Thickness:	2.00mm
Wear Layer:	0.70mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	22m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW6
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)


Xtreme Collection



Sia 999D



Mira 909L



Mira 190L

Specifications

Intensity of Use:	34 Commercial Very Heavy 43 Industrial Heavy
Total Thickness:	2.00mm
Wear Layer:	0.70mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	22m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW6
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Nobletex Collection



Specifications

Intensity of Use:	31 Commercial
Total Thickness:	4.30mm
Wear Layer:	0.30mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	22m
Reaction to Fire:	Cfl/S1
Impact Sound:	LW21
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Nobletex Collection



Warm Oak 994M



Atlas 629M



Atlas 649M



Soft Oak 098S


Specifications

Intensity of Use:	31 Commercial
Total Thickness:	4.30mm
Wear Layer:	0.30mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	22m
Reaction to Fire:	Cfl/S1
Impact Sound:	LW21
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)


Nobletex Collection



Cornwall 190M



Cornwall 642M



Cornwall 730D



Soft Oak 264M

Specifications

Intensity of Use:	31 Commercial
Total Thickness:	4.30mm
Wear Layer:	0.30mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	22m
Reaction to Fire:	Cfl/S1
Impact Sound:	LW21
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Nobletex Collection



Soft Oak 639D



Soft Oak 890M

Specifications

Intensity of Use:	31 Commercial
Total Thickness:	4.30mm
Wear Layer:	0.30mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	22m
Reaction to Fire:	Cfl/S1
Impact Sound:	LW21
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Silvertex Collection



Specifications

Intensity of Use:	31 Commercial
Total Thickness:	4.30mm
Wear Layer:	0.30mm
Abrasion Group	T
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	22m
Reaction to Fire:	Cfl/S1
Impact Sound:	LW21
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Silvertex Collection



Silk Oak 979M



Pin Oak 790M



Aged Oak 126M



Valley Oak 162M

Specifications

Intensity of Use:	31 Commercial
Total Thickness:	2.50mm
Wear Layer:	0.30mm
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW15
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Silvertex Collection



Pin Oak 166M



Silk Oak 317M



Valley Oak 639M



Aged Oak 163M

Specifications

Intensity of Use:	31 Commercial
Total Thickness:	2.50mm
Wear Layer:	0.30mm
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW15
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)

Silvertex Collection



Pin Oak 009L



Aged Oak 639M



Zala 710M



Narbonne 100L

Specifications

Intensity of Use:	31 Commercial
Total Thickness:	2.50mm
Wear Layer:	0.30mm
Standard Roll Width:	4m (2&3m widths available)
Standard Roll Length:	30m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW15
Slip Resistant:	R10
Phthalate Free:	Yes (100% Phthalate Free)
Recyclable:	Yes (100%)



Digital Printed Rolls

THE FUTURE STARTS HERE

Digital Printed Rolls

THE FUTURE STARTS HERE



INNOVATIVE, CUTTING EDGE DESIGN

Our new digital printing process provides you with endless possibilities in terms of design, which cannot be achieved with conventional techniques. You can either choose from our standard collections SKYLINE, where the focus lies on extra long planks and large tiles or MOONLIGHT that regroups designs of weathered woods, natural, organic elements or WOW where bespoke, tailor made designs are made.



Specifications

Intensity of Use:	31
Total Thickness:	2.50mm
Wear Layer:	0.25mm
Abrasion Group	T
Standard Roll Width:	4m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW16
Slip Resistant:	R10

Moonlight

**ORGANIC &
TEXTURAL
LATEST
TRENDS.**



Specifications

Intensity of Use:	34-43
Total Thickness:	2.00mm
Wear Layer:	0.70mm
Abrasion Group	T
Standard Roll Width:	4m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW6
Slip Resistant:	R10

Skyline

**SUPERSIZED
DESIGN WITH
NO VISIBLE
REPEAT.**




Specifications

Intensity of Use:	34-43
Total Thickness:	2.00mm
Wear Layer:	0.70mm
Abrasion Group	T
Standard Roll Width:	4m
Reaction to Fire:	Bfl/S1
Impact Sound:	LW6
Slip Resistant:	R10

WOW

**TAILOR
MADE
DESIGNS.**



MODERN, CLASSICAL & STYLISH FLOOR, WALL & WINDOW TREATMENTS.

RF is a flooring division based in the UAE with an extensive portfolio of floors, wall coverings and window treatment solutions. We offer extensive experience on a broad range of work from small bespoke fit-outs, through to substantial large-scale developments and masterplans



Renovation Furniture Trading LLC

e: rf@rftgulf.com.com

w: www.rftgulf.com

t: +971 66786333