


### RF

RENOVATION FURNITURE TRADING LLC





HOMOGENEOUS VINYL

MODERN, CLASSICAL & STYLISH FLOOR, WALL & WINDOW TREATMENTS.













### **TARKETT**



Composed of a single layer of vinyl, compact homogeneous vinyl floors are glued to the sub-floor and welded. Compact homogeneous vinyl floorings are tough and ultra-durable solutions for heavy and very heavy traffic areas, especially in healthcare and education for their resistance and ease of cleaning. Acoustic, static-conductive, static-dissipative and anti-slip versions are also available.



# NON-LINEAR PATTERN, SUBTLE & CONTEMPORARY DESIGN.

Ideal for heavy-trafficked areas, Contract Plus is a durable, multi-purpose vinyl floor available in 24 different colours.

#### Specifications

Product Type: Homogeneous Poly ISO 10581

Commercial Classification: 34 Very Heavy (ISO 10874)

Industrial Classification: 43 Heavy (ISO 10874)

Surface Treatment: PU Standard

Total Thickness: 2 mm (ISO 24346)

Total Weight: 3034 g/m<sup>2</sup>

Binder Content: Type II (ISO 10581)
Castor Chair Effect: Suitable (ISO 4918)

Chemical Resistance: Good Resistance (ISO 26987)

Colour Fastness to Light: >6

Phthalate Content: 100% Phthalate-free

#### **COLD GREY - 010**



### Specifications

Product Type: Homogeneous Poly (vinyl chloride) ISO 10581

Commercial Classification: 34 Very Heavy (ISO 10874)

Industrial Classification: 43 Heavy (ISO 10874)

Surface Treatment: PU Standard

Total Thickness: 2 mm (ISO 24346)

Total Weight: 3034 g/m<sup>2</sup>

Binder Content: Type II (ISO 10581)
Castor Chair Effect: Suitable (ISO 4918)

Chemical Resistance: Good Resistance (ISO 26987)

Colour Fastness to Light: >6

Phthalate Content: 100% Phthalate-free

#### **WARM SAND - 017**



Specifications

Product Type: Homogeneous Poly (vinyl chloride) ISO 10581

Commercial Classification: 34 Very Heavy (ISO 10874) Industrial Classification: 43 Heavy (ISO 10874)

Surface Treatment: PU Standard

Total Thickness: 2 mm (ISO 24346)

Total Weight: 3034 g/m<sup>2</sup>


Binder Content: Type II (ISO 10581)
Castor Chair Effect: Suitable (ISO 4918)

Chemical Resistance: Good Resistance (ISO 26987)

Colour Fastness to Light: >6

Phthalate Content: 100% Phthalate-free

#### **LIGHT BLUE - 024**



Specifications

Product Type: Homogeneous Poly (vinyl chloride) ISO 10581

Commercial Classification: 34 Very Heavy (ISO 10874) Industrial Classification: 43 Heavy (ISO 10874)

Surface Treatment: PU Standard

Total Thickness: 2 mm (ISO 24346)

Total Weight: 3034 g/m<sup>2</sup>

Binder Content: Type II (ISO 10581)
Castor Chair Effect: Suitable (ISO 4918)

Chemical Resistance: Good Resistance (ISO 26987)

Colour Fastness to Light: >6

Phthalate Content: 100% Phthalate-free

#### **BLUE - 025**



Specifications

Product Type: Homogeneous Poly (vinyl chloride) ISO 10581

Commercial Classification: 34 Very Heavy (ISO 10874) Industrial Classification: 43 Heavy (ISO 10874)

Surface Treatment: PU Standard

Total Thickness: 2 mm (ISO 24346)

Total Weight: 3034 g/m<sup>2</sup>

Binder Content: Type II (ISO 10581)
Castor Chair Effect: Suitable (ISO 4918)

Chemical Resistance: Good Resistance (ISO 26987)

Colour Fastness to Light: >6

Phthalate Content: 100% Phthalate-free

#### **BEIGE - 014**



### Specifications

Product Type: Homogeneous Poly (vinyl chloride) ISO 10581

Commercial Classification: 34 Very Heavy (ISO 10874) Industrial Classification: 43 Heavy (ISO 10874)

Surface Treatment: PU Standard

Total Thickness: 2 mm (ISO 24346)

Total Weight: 3034 g/m<sup>2</sup>

Binder Content: Type II (ISO 10581)
Castor Chair Effect: Suitable (ISO 4918)

Chemical Resistance: Good Resistance (ISO 26987)

Colour Fastness to Light: >6

Phthalate Content: 100% Phthalate-free

#### **BROWN - 15**



### Specifications

Product Type: Homogeneous Poly (vinyl chloride) ISO 10581

Commercial Classification: 34 Very Heavy (ISO 10874) Industrial Classification: 43 Heavy (ISO 10874)

Surface Treatment: PU Standard

Total Thickness: 2 mm (ISO 24346)

Total Weight: 3034 g/m<sup>2</sup>

Binder Content: Type II (ISO 10581)
Castor Chair Effect: Suitable (ISO 4918)


Chemical Resistance: Good Resistance (ISO 26987)

Colour Fastness to Light: >6

Phthalate Content: 100% Phthalate-free







# MODERN, CLASSICAL & STYLISH FLOOR, WALL & WINDOW TREATMENTS.

RF is a flooring division based in the UAE with an extensive portfolio of floors, wall coverings and window treatment solutions. We offer extensive experience on a broad range of work from small bespoke fit-outs, through to substantial large-scale developments and masterplans



Renovation Furniture Trading LLC

e: rf@rftgulf.com.com w: www.rftgulf.com

t: +971 66786333